



# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Ms. Nicole Weimer Bonide Products, Inc. 6301 Sutliff Road Oriskany, NY 13424

JUN 1 3 2013

Subject: Label Notification(s) for Pesticide Registration Notice 98-10

Dear Ms. Weimer:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated May 21, 2013 for the following product(s):

Eight Insect Control Alternate Brand Name Yard & Garden Ready to Spray

The Registration Division (RD) has conducted a review of this request for applicability under PR Notice 98-10 and finds that the label change(s) requested falls within the scope of PRN 98-10. The label has been date-stamped "Notification" and will be placed in our records.

Bonide Eight Yard & Garden EPA Reg. No. 4-407 Ready to Spray

If you have any questions, please contact Linda A. DeLuise at 703-305-5428.

Sincerely,

Richard J. Gebken

Product Manager

Insecticide Branch

Registration Division (7504P)

-	
Total Property	
	form

/IB No. 2070-0060, Approval expires 2-28-95

<b>SEPA</b>
-------------

**United States** 

Registration
Amendmen
Other

OPP Identifier Number

<b>\$EPA</b>	Environmenta Washi	Protection	•		Am ✓ Oth	endm er	ent		
		Application	n for Pestici	de - Secti	on I				
1. Company/Product Number 4-407			2. EPA LaRoo	Product Manag	ger		r	posed Classification  None Restric	ted
4. Company/Product (Name) Bonide Eight Yard & G		ray	PM# 13						
5. Name and Address of App Bonide Products, Inc. 6301 Sutliff Road Oriskany, NY 13424			(b)(i), n to: EPA F		similar 🐧	Genile		FIFRA Section 3(c)(i	- •
			Section -	ı			و فروس به به المالي		i con
Amendment - Explain  Resubmission in resp  Notification - Explain  Explanation: Use addition  NOTIFICATION: Added "Stir This notification is consistent labeling or the CSF of this preand further understands that and Bonide Products, Inc. ma	below.  al page(s) if necessar the bugs", an additional with the provisions of F boduct. Bonide Products if this notification is not	y. (For section brand name and PR Notice 98-10 a , Inc. understand consistent with the	optional marketing and EPA regulation s that it is a violation the terms of PR No	ns at 40 CFR 15 on of 18 U. S. C tice 98-10 and 4	r dated oplication. in below. 52.46, and r 5. Sec. 1007	no other o	hanges h	ny false statement to E	EPA FRA
Material This Product Will		· ·	Section - I		· · · · · · · · · · · · · · · · · · ·				
Child-Resistant Packaging Yes √ No * Certification must be submitted	Unit Packaging  Yes  ✓ No  If "Yes" Unit Packaging wgt.	No. per container	Water Soluble P  Yes  ✓ No  If "Yes"  Package wgt	No. per container	2. Ty		ontainer Metal Plastic Glass Paper Other (Sp	pecify)	
3. Location of Net Contents	nformation	4. Size(s) Retai	l Container	5	. Location	of Label	Direction	18 ccc	
Label C 6. Manner in Which Label is	ontainer Affixed to Product	Lithogra Paper gl	1 qt., ½ gal.	Other	on on	label		( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( (	
			Section - I'	V		( (	(	( ( (	
1. Contact Point (Complete	items directly below f	or identification	of individual to b	e contacted, if	necessary	, to pros	ess this e	application.)	
Name Nicole Weimer			itle Pesticide Comlia	nce Specialis	t			No. (Include Area Coo 231 ex∂ 230	ie)
I certify that the states I acknowledge that an both under applicable	y knowlinglly false or		ll attachments the				lete.	6 ປໍລິເອ Application Received ່ (Stamped)	
	mer		. <b>Title</b> Pesticide Compliar	nce Specialist	-				r
4. Typed Name	4	5.	. Date				Ţ		

Nicole Weimer

5/21/13

# **Bonide Products, Inc.**

6301 Sutliff Rd. Oriskany, NY 13424

Phone (315) 736-8231 Fax (315) 736-7582

May 21, 2013

FedEx: 8020 0281 3260

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) US Environmental Protection Agency Room S4900, One Potomac Yard 2777 S. Crystal Drive Arlington, VA 22202

RE: Bonide Eight Yard & Garden Ready to Spray
EPA Reg. No. 4-407
Notification – Added "Stink bugs", an additional brand name and optional marketing statements.

To Whom It May Concern:

Enclosed, please find a completed form 8570-1, Notification and the latest final printed label for the above-mentioned registration. Changes are in red text. I trust you will find everything in order for approval.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Should you have any questions or require additional information, please do not hesitate to contact me at (315) 736-8231, extension 230 or by e-mail at <a href="mailto:Nicoler@bonide.com">Nicoler@bonide.com</a>.

Sincerely,

Nicole Weimer

Pesticide Compliance Specialist

Enclosure





#### NOTIFICATION

JUN 13 2013

# YARD & GARDEN READY TO SPRAY

[Alternate Brand Names: Bonide Bug Beater II Yard & Garden Insect Control Ready to Spray; Tickmaster; Mosquito Beater Ready to Spray; Bonide Eight Insect Control Yard & Garden; Eight Yard & Garden; Bonide HouseGuard Perimeter and Foundation Spray; Eight Insect Control Yard & Garden Ready to Spray]

Optional Marketing Statements:

Spray Around Shrubbery and Other Places Insects (Mosquitoes) Congregate

· NO MIX · NO MESS · NO FUSS

Easy to Apply

Easy to Use

Water Based

Will Not Stain

Contact and Residual Spray

For Residential Use Only

Kills Troublesome Outdoor Insects Which Destroy Lawns, Roses, Flowers, Trees and Shrubs, Vegetables, Fruit, and Nuts

Contains Permethrin, a Long Lasting Insecticide Which Provides Contact and Residual Control for up to 4 Weeks of Many Hard-to-Kill Sucking and Chewing Insects

Kills Over 100 Different Insects

Protects Your Lawns, Trees & Shrubs, Roses & Flowers, Fruits & Nuts, and Vegetables from: Alfalfa loopers, Ants, Aphids, Armyworms, Asian Lady Beetle, Bagworms, Beetles, Borers, Boxelder bugs, Brown dog ticks, Budworms, Cabbageworms, Chinch bugs, Cicadas (Locust), Citrus black flies, Clover mites, Cluster flies, Codling moths, Corn earworms, Crickets, Cutworms, Earwigs, Elm spanworms, Fall cankerworms, Fire ants, Firebrats, Fleas, Green fruitworms, Gnats, Grasshoppers, Houseflies, Inchworms, Japanese beetles, Leafhoppers, Leafminers, Leafrollers, Locust, Lone Star ticks, Lygus bugs, Mealybugs, Millipedes, Earworms, Mole crickets, Mosquitoes, Moths, Navel orangeworms, Scales, Silverfish, Sod webworms, Sowbugs (Pillbugs), Spider mites, Spring cankerworms, Springtails, Stink bugs, Tent caterpillars, Thrips, Tobacco budworms, Weevils, Whiteflies and many others.

Fast acting/quick killing spray

Low odor

Kills and repels bugs [in your backyard] [in your yard] [around your home]

Kills [nuisance] pests outdoors before they come inside

Stops [kills] bugs [pests] outdoors - before they come inside

Effective Home [Yard] Barrier Treatment

Results guaranteed

Long lasting – keeps on killing [working] for weeks

Convenient, ready-to-use hose-end sprayer bottle

Creates a barrier around your home [yard] [foundation]

Kills and Repels

Helps protect your house [home] from invading insects [bugs] [pests] [ants]

Ready-to-Spray, No mixing, no measuring, no messy cleanup

Keeps annoying insects away

Do-It-Yourself pest control

Satisfaction Guaranteed or your money back

Just Connect to your [garden] hose and spray

For use around foundations, outside buildings, porches, wood piles, wooden fences, decks, garages, car ports, patios Long lasting non-stop protection

Keeps working for up to 4 weeks

EPA Reg. No. 4-407

May 21, 2013 - Notification

EPA Est. No. 4-NY-1 Page 1 of 7 Pages Kills over 100 named insect pests Just connect to hose and spray Outdoor use only

Treats up to 5,000 square feet

Controls: Ants, Aphids, Asian Ladybugs, Bagworms, Beetles, Borers, Ticks, Chinch Bugs, Cluster Flies, Codling Moths, Crickets, Earwigs, Fleas, Cicadas (Locust), Gnats, Grasshoppers, Japanese Beetles, Scales, Thrips, Weevils, Whiteflies, Mole Crickets, Spider Mites, Tent Caterpillars, Mealybugs, Leafminers, and many other listed insects.

For use on listed: Lawns, Trees, Shrubs, Flowers, Fruit, Nuts, Vegetables, Outside Surfaces of Buildings and Surrounding Area.

Apply using this hose end applicator.

No mixing required.

#### **ACTIVE INGREDIENT:**

Permethrin (CAS #52645-53-1)	2.5%
OTHER INGREDIENTS:	
TOTAL	100.0%

#### KEEP OUT OF REACH OF CHILDREN

# **CAUTION**

See back/side/other panel(s) for additional Precautionary Statements and First Aid.

NET CONTENTS:

# READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

#### FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment information.

If Swallowed:

Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

## For Residential use only.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for use on plants being grown for sale or for other commercial use, or for commercial seed production or for research purposes.

#### General Precautions and Restrictions

Do not allow adults, children, or pets to enter the treated area until sprays have dried. Do not water the treated area to the point of run-off. Do not make applications during rain. All outdoor applications must be limited to spot or crack-and-crevice treatments only except for the following permitted uses:

- (1) Treatment to soil or vegetation around structures;
- (2) Applications to lawns, turf, and other vegetation;
- (3) Applications to building foundations, up to a maximum height of 3 feet.

Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications only.

Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the

product to enter any drain during or after application. Not for use in outcoor residential misting systems.

#### SHAKE WELL BEFORE USING

#### **HOSE END SPRAYER: Easy to Use**

- 1. Make sure knob control lever is in the OFF position. Shake well and attach to hose.
- 2. Turn water on at faucet, aim nozzle toward lawn and turn knob control lever to ON to begin spraying.
- 3. When finished turn control lever to OFF position. Turn faucet to OFF position. Discharge residual water pressure by turning ON and OFF again.

Store out of reach of children.

## People and pets should not be allowed in treated areas until spray has dried.

### DIRECTIONS FOR APPLYING HOME LAWNS

	Pests:	How to Use:
Bent, Bermuda, Bluegrass,	Ants, Armyworms, Brown dog ticks,	Home lawns should be 3 inches or
Dichondra, Fescue, Irish Moss,	Chinch bugs, Clover mites, Crickets,	less in height at the time of
Merion, St. Augustine	Cutworms, Fleas, Grasshoppers,	application. 1 Quart of this
	Japanese beetle grubs, Mole	concentrate as applied through the
	crickets, Sod webworms, Ticks that	Hose-End sprayer treats 5,000 sq. ft.
·	may carry Lyme Disease,	For heavy infestations, repeat
	Leafhoppers	application after 2 weeks.

#### TREES & SHRUBS

	Pests:	How to Use:
Arizona Cypress, Azalea, Birch,	Aphids, Bagworms, Boxelder Bugs,	Try to penetrate dense foliage.
Cherry, Non-bearing Citrus,	Cicadas (Locust), Exposed thrips,	Spray in the late afternoon or
Conifers, Elm, English Ivy,	Fall cankerworms, Inchworms,	evening, when the temperature
Euonymous, Weeping fig, Fir,	Leafminers, Leafrollers, Locust,	ranges from 50°F to 75°F and when
Honeysuckle, Lilac, Mock-orange,	Mealybugs, Spider mites, Stink	there is little or no wind. Spray at the
Oak, Palm, Philodendron, Pine,	bugs, Whiteflies, Gypsy Moth, Tent	first sign of insects. Repeat as
Poinsettia, Tulip Poplar,	Caterpillar, Japanese Beetles	necessary; use at intervals of 4-8
Rhododendron, Taxus		days. Application can be made up to
Cherry, Honeysuckle	Fall webworms	the day of collection.
Conifer	Budworms	
Elm	Elm leaf beetles, Elm spanworms,	
	Fall webworms	· .
Douglas and Grand Firs	Tussock moths	
Non-bearing Citrus	Citrus black flies	
Oak	Oakworms	
Pine	Pine beetles, Pine moths, Pine	
	needleminers, Needle scales	

On Tent cateroillars, application should be made when caterpillars are young and tents are first noticed. For best results, apply in the late afternoon or evening, when caterpillars have returned to their tents. Wet tents with spray on all sides. A few caterpillars may be seen escaping from the tent; however, they should die within several hours.

#### **ROSES & FLOWERS**

	Pests:	How to Use:
Ageratum, Aster, Ardisia, Azalea, Baby's	Aphids, Armyworms,	Try to hit underside of leaves and
breath, Begonia, Birds-nest fern, Bleeding	Bagworms, Boxelder Bugs,	penetrate dense foliage. Spray in
heart, Carnation, Chrysanthemum, Coleus,	Cabbage worms, Cicadas	the late afternoon or evening,
Common Ninebark and Snowberry, Crown of	(Locust), Cornworms,	when the temperature ranges from
thorns, Cockscomb, Cyclamen, Dracaena,	Cutworms, Exposed thrips,	50°F to 75°F and when there is

Dumbcane, English Ivy, Exacum, Fuchsia, Gladiolus, Grape Ivy, Gold Bells, Hypoestes, Ivy, Juniper, Lilac, Marigold, Mock-Orange, Nannyberry, Orchid, Palm, Pansy, Pea Shrub, Peperomia, Petunia, Philodendron, Piggy-back Plant, Poinsettia, Portulaca, Pothos, Prayer Plant, Purple Passion, Rabbits Foot fern, Rhododendron, Rose, Schefflera, Snapdragon, Snake Plant, Statice Velvet Plant, Verbena, Zinnia

Fall cankerworms, Fall webworms, Fungus gnats, Inchworms, Japanese beetles, Leafminers, Leafrollers, Locust, Mealybugs, Scale crawlers, Spring cankerworms, Spider mites, Whiteflies, Japanese Beetles, Rose Chafer, Psyllids, Scale Insects

little or no wind. Spray at the first sign of insects. Repeat as necessary; use intervals of 4-8 days. Application can be made up to the day of collection.

#### FRUIT & NUT TREES

#### **GENERAL DIRECTIONS**

Apply when insects appear. Wet plants to the dripping point. Try to hit underside of leaves and

penetrate dense foliage.

	Pests:	How to Use:
Almonds, Pecans	Navel orangeworms, Peach twig borers	Do not make more than 2 applications during hull split and 5 applications per season. Can be applied up to 7 days prior to harvest.
Apples	Green fruitworms, Aphids, Leafrollers (Oblique-banded, Redbanded), Plum curculio, Rosy apple aphids, Spotted tentiform leafminers, Tarnished plant bugs, White apple leafhoppers, Japanese Beetles	Repeat as required to maintain control. Do not make more than 3 applications. Do not apply after petal fall.
Peaches	Borers (Lesser peachtree, Peach twig), Green fruitworms, Plum curculio, Oriental fruit moths, Tarnished plant bugs	Do not apply within 7 days of harvest. Do not make more than 8 applications per season.
Pears (dormant through delayed dormant)	Pear psylla	Apply during the dormant through delayed dormant growth period only. Do not make more than 2 applications per season.
Pears (summer)	Codling Moths, Green fruitworms, Pear psylla, Aphids	Do not make more than 3 applications per season. Can be applied up to 14 days prior to harvest.

#### **VEGETABLES**

VEGETABLES				
	Pests:	How to Use:		
Asparagus (pre-harvest)	Asparagus beetles, Cutworms	Apply as needed to ensure uniform coverage. Do not make more than 4 applications per crop. Can be applied up to 3 days prior to harvest.		
Asparagus (post-harvest)	Larval stages of asparagus beetle, Tarnished plant bug, Lygus bugs and	Treat ferns or bush growth after spear harvest when insects are		
(post nai vost)	Adult Japanese beetle	present.		
Celery - See Leafy Vegetables				
Cole Crops, Broccoli, Brussels Sprouts, Cabbage, Cauliflower	Beet armyworms, Cabbage Aphids and Loopers, Diamondback Moths, Imported cabbage worms	Apply every 5 days or as needed. Can be applied up to 1 day prior to harvest. Do not make more than 8 applications on Cauliflower, Brussels Sprouts and Broccoli and 10 applications on Cabbage.		
Corn – See Sweet Corn				
Cucurbits: Balsam pear (bitter melon), Chinese waxgourd (Chinese preserving melon), citron melon, cucumber, gherkin, edible gourds: melons	Aphids, Cabbage looper, Cucumber beetle (adults), Cutworms, Leafhoppers, Leafminers, Melonworms, Pickleworm, Plant bugs, Squash bugs	Apply as needed to ensure uniform coverage. Can be applied up to the day of harvest.		
including hybrids such as Cantaloupe, Casaba, Crenshaw, Honeydew, Honey Balls, Mango	·			

EPA Reg. No. 4-407 May 21, 2013 - Notification EPA Est. No. 4-NY-1 Page 5 of 7 Pages

(		
melon, Muskmelon, Persian melon,		
Pumpkin, Summer & Winter	·	
Squash, Watermelon		·
Eggplant	Colorado potato beetles, Vegetable leafminers	Apply as needed to ensure uniform coverage. Do not exceed 16 applications. Can be applied up to 3 days prior to harvest.
Horseradish (Foliar application)	Imported crucifer weevils	Apply as needed. Do not exceed 3 foliar applications. Can be applied up to 22 days prior to harvest.
Leafy Vegetables: Amaranth, Arrugula, Celery, Celtuce, Chervil, Corn salad, Chrysanthemum (edible-leaved and garland), cress (garden and upland), Dandelion, Dock, Endive, Fennel, Lettuce (head and leaf), Okra, Parsley, Purslane (garden and winter), Rhubarb, Spinach, Swiss chard	Alfalfa looper, Aphids, Beet armyworm, Cabbage looper, Corn earworm, Cutworms, European corn borer, Fall armyworm, Green cloverworm, Southern armyworm, Tobacco budworm, Vegetable leaf miner	Apply every 5 to 10 days as needed. Do not make more than 7 applications per crop. Can be applied up to one day prior to harvest.
Melons – See Cucurbits		
Peppers	Vegetable leafminers, Cabbage looper, Flea beetle, Corn earworm, Pepper weevil, European corn borer	Apply as needed, but not more than 8 applications per season. Can be applied up to 3 days prior to harvest.
Potatoes	Beet armyworm, Colorado potato beetle, Potato leafhopper, Potato tuberworm, Cabbage looper, Cutworms, European corn borer, Potato psyllid, Tarnish plant bug	Apply as needed. Do not make more than 12 applications. Can be applied up to 7 days prior to harvest.
Strawberries, Raspberries, Blueberries	Strawberry weevils, Aphids, Spider mites, Lygus bugs, Flea beetles, Omnivorous leaftier, Spittlebugs, Japanese beetles, Field crickets, Red Spider, Leafroller, Weevils	Allow 14 days between last application and harvest. Make no more than 8 foliar applications per growing season.
Sweet Corn	Corn earworm, European corn borer, Fall armyworm, Southern armyworm	Apply every 5 days and when needed, but not more than 6 applications per season. Can be applied up to 1 day prior to harvest.
Tomatoes	Beet and southern armyworm, Tomato pinworm, Tomato fruitworm, Horn worms, Granulate cutworms, Colorado potato beetle, Cabbage looper	Apply as needed for uniform coverage. Can be applied up to day of harvest.

#### **NUISANCE PESTS IN OUTDOOR AREAS**

#### **GENERAL DIRECTIONS**

Activate Hose-End Sprayer and spray mist listed areas for thorough coverage.

#### **OUTSIDE SURFACES OF BUILDING**

Use Ronide Eight® Insect Control Ready-To-Spray on Ants, Boxelder Bug, Clover mites, Crickets, Earwigs, Firebrats, Millipedes, Silverfish, Sowbugs (pillbugs), Springtails, Stink bugs, to help prevent infestation of buildings, treat the building foundation to a height of 2 to 3 feet, where pests are active and may find entrance. Also, apply as a spot or crack-and-crevice treatment to outside surfaces of building, including porches, screens, window frames, eaves, patios, garages, refuse dumps and other areas where these pests congregate or have been seen. Repeat treatment as needed to maintain effectiveness.

#### OTHER OUTDOOR AREAS

Use Bonide Eight<sup>®</sup> Insect Control Ready-to-Spray on Ants, Asian Lady Beetle, Boxelder Bug, Clover mites, Crickets, Earwigs, Fleas, Locust, Springtails, Ticks (including ticks that may carry Lyme Disease) for treatment of localized infestations of these insects in areas where there are weeds or bushy non-crop areas, spray infested areas thoroughly. For Ants, thoroughly wet hills and runways. Repeat application as reinfestations occur.

To reduce annoyance from: Cluster flies, Flying moths, Gnats, House flies, Mosquitoes. Spray outside surfaces of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages, around shrubbery, and other places where these insects alight or congregate. Repeat as necessary.

#### STORAGE AND DISPOSAL

<u>Pesticide Storage:</u> Store and transport in an upright position. Store in a cool dry area inaccessible to children or pets.

<u>Pesticide Disposal & Container Handling:</u> *If empty*—Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. *If partly filled*—Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**NOTICE:** To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

MONEY BACK GUARANTEE: If not completely satisfied with the performance of this product, Bonide Products Inc. will refund your purchase price. Mail proof of purchase (UPC Bar Code), the original purchase receipt and a written description of your problem to: Customer Service, Bonide Products, Inc., 6301 Sutliff Road, Oriskany, NY 13424.

Manufactured by: Bonide Products, Inc. 6301 Sutliff Road Oriskany, NY 13424

[Batch Code to be inserted at production]

©Bonide Products, Inc. All Rights Reserved